

---

**wcraas***control Documentation*  
**Release \_\_version\_\_ = '0.1.2'**

**Kolokotronis Panagiotis**

**Oct 28, 2019**



---

## Contents:

---

<b>1</b>	<b>wcraas_control</b>	<b>1</b>
1.1	Features . . . . .	1
1.2	Credits . . . . .	1
<b>2</b>	<b>Installation</b>	<b>3</b>
2.1	Stable release . . . . .	3
2.2	From sources . . . . .	3
<b>3</b>	<b>Usage</b>	<b>5</b>
<b>4</b>	<b>wcraas_control</b>	<b>7</b>
4.1	wcraas_control package . . . . .	7
<b>5</b>	<b>Contributing</b>	<b>9</b>
5.1	Types of Contributions . . . . .	9
5.2	Get Started! . . . . .	10
5.3	Pull Request Guidelines . . . . .	11
5.4	Tips . . . . .	11
5.5	Deploying . . . . .	11
<b>6</b>	<b>Credits</b>	<b>13</b>
6.1	Development Lead . . . . .	13
6.2	Contributors . . . . .	13
<b>7</b>	<b>History</b>	<b>15</b>
7.1	0.1.2 (2019-10-28) . . . . .	15
7.2	0.1.1 (2019-10-02) . . . . .	15
7.3	0.1.0 (2019-09-21) . . . . .	15
<b>8</b>	<b>Indices and tables</b>	<b>17</b>
	<b>Python Module Index</b>	<b>19</b>
	<b>Index</b>	<b>21</b>



# CHAPTER 1

---

wcraas\_control

---

## WCraaS Storage Service

- Free software: MIT license
- Documentation: <https://wcraas-control.readthedocs.io>.

## 1.1 Features

- TODO

## 1.2 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.



# CHAPTER 2

---

## Installation

---

### 2.1 Stable release

To install `wcraas_control`, run this command in your terminal:

```
$ pip install wcraas_control
```

This is the preferred method to install `wcraas_control`, as it will always install the most recent stable release.

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

### 2.2 From sources

The sources for `wcraas_control` can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/WCraaS/wcraas_control
```

Or download the [tarball](#):

```
$ curl -OJL https://github.com/WCraaS/wcraas_control/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```



# CHAPTER 3

---

## Usage

---

To use wcraas\_control in a project:

```
import wcraas_control
```



# CHAPTER 4

---

## wcraas\_control

---

### 4.1 wcraas\_control package

#### 4.1.1 Submodules

#### 4.1.2 wcraas\_control.cli module

Console script for wcraas\_control.

#### 4.1.3 wcraas\_control.config module

```
class wcraas_control.config.Config
    Bases: wcraas_control.config.Config
```

```
classmethod fromenv()
```

Create a *wcraas\_control.Config* from Environment Variables.

```
>>> conf = Config.fromenv()
>>> type(conf)
<class 'config.Config'>
>>> conf._fields
('amqp', 'redis', 'interval', 'loglevel')
>>> conf.amqp
AMQPConfig(host='localhost', port=5672, user='guest', password='guest')
>>> conf.redis
RedisConfig(host='localhost', port=6379)
>>> conf.interval
10
>>> conf.loglevel
20
```

```
class wcraas_control.config.RedisConfig
    Bases: wcraas_control.config.RedisConfig
```

```
classmethod fromenv()
    Create a wcraas_control.RedisConfig from Environment Variables.
```

```
>>> conf = RedisConfig.fromenv()
>>> type(conf)
<class 'config.RedisConfig'>
>>> conf._fields
('host', 'port')
>>> conf.host
'localhost'
>>> conf.port
6379
```

#### 4.1.4 wcraas\_control.wcraas\_control module

The WCraaS Control module is responsible for the orchestration of tasks in the platform.

```
class wcraas_control.wcraas_control.RedisLockState
```

Bases: enum.IntEnum

An enumeration.

```
DONE = 2
```

```
FAIL = 3
```

```
FREE = 0
```

```
LOCK = 1
```

```
class wcraas_control.wcraas_control.ControlWorker(amqp:
```

```
    wcraas_common.config.AMQPConfig,
    redis:
        wcraas_control.config.RedisConfig,
        interval: int, loglevel: int, *args,
        **kwargs)
```

Bases: wcraas\_common.wcraas\_common.WcraasWorker

Control Worker for the WCraaS platform, responsible for the orchestration of tasks.

```
>>> from wcraas_control.config import Config
>>> cn = ControlWorker(*Config.fromenv())
```

```
crawl(url: str)
```

Given URL orchestrate crawling of the target.

**Parameters** `url` (`string`) – Entrypoint URL for crawling the target.

```
list_collections()
```

List the collections available at the storage node.

```
start()
```

Asynchronous runtime for the worker, responsible of managing and maintaining async context open.

#### 4.1.5 Module contents

Top-level package for wcraas\_control.

# CHAPTER 5

---

## Contributing

---

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

### 5.1 Types of Contributions

#### 5.1.1 Report Bugs

Report bugs at [https://github.com/WCraaS/wcraas\\_control/issues](https://github.com/WCraaS/wcraas_control/issues).

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

#### 5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

#### 5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

## 5.1.4 Write Documentation

control could always use more documentation, whether as part of the official control docs, in docstrings, or even on the web in blog posts, articles, and such.

## 5.1.5 Submit Feedback

The best way to send feedback is to file an issue at [https://github.com/WCraaS/wcraas\\_control/issues](https://github.com/WCraaS/wcraas_control/issues).

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 5.2 Get Started!

Ready to contribute? Here's how to set up *wcraas\_control* for local development.

1. Fork the *wcraas\_control* repo on GitHub.

2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/wcraas_control.git
```

3. Install your local copy into a virtualenv. Assuming you have `virtualenvwrapper` installed, this is how you set up your fork for local development:

```
$ mkvirtualenv wcraas_control
$ cd wcraas_control/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 wcraas_control tests
$ python setup.py test or pytest
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.5, 3.6 and 3.7, and for PyPy. Check [https://travis-ci.org/WCraaS/wcraas\\_control/pull\\_requests](https://travis-ci.org/WCraaS/wcraas_control/pull_requests) and make sure that the tests pass for all supported Python versions.

## 5.4 Tips

To run a subset of tests:

```
$ pytest tests.test_wcraas_control
```

## 5.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bump2version patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.



# CHAPTER 6

---

## Credits

---

### 6.1 Development Lead

- Kolokotronis Panagiotis <[panagiks@gmail.com](mailto:panagiks@gmail.com)>

### 6.2 Contributors

None yet. Why not be the first?



# CHAPTER 7

---

## History

---

### 7.1 0.1.2 (2019-10-28)

- BUGFIX: Avoid infinite recursion over leftover failed URLs.
- Add more detailed logging & proper loglevels.

### 7.2 0.1.1 (2019-10-02)

- Mark docs as stable.

### 7.3 0.1.0 (2019-09-21)

- First release on PyPI.



# CHAPTER 8

---

## Indices and tables

---

- genindex
- modindex
- search



---

## Python Module Index

---

### W

wcraas\_control, 8  
wcraas\_control.cli, 7  
wcraas\_control.config, 7  
wcraas\_control.wcraas\_control, 8



---

## Index

---

### C

Config (*class in wcraas\_control.config*), 7  
ControlWorker (*class in wcraas\_control.wcraas\_control*), 8  
crawl () (*wcraas\_control.wcraas\_control.ControlWorker method*), 8

### D

DONE (*wcraas\_control.wcraas\_control.RedisLockState attribute*), 8

### F

FAIL (*wcraas\_control.wcraas\_control.RedisLockState attribute*), 8  
FREE (*wcraas\_control.wcraas\_control.RedisLockState attribute*), 8  
fromenv () (*wcraas\_control.config.Config class method*), 7  
fromenv () (*wcraas\_control.config.RedisConfig class method*), 7

### L

list\_collections ()  
    (*wcraas\_control.wcraas\_control.ControlWorker method*), 8  
LOCK (*wcraas\_control.wcraas\_control.RedisLockState attribute*), 8

### R

RedisConfig (*class in wcraas\_control.config*), 7  
RedisLockState (*class in wcraas\_control.wcraas\_control*), 8

### S

start () (*wcraas\_control.wcraas\_control.ControlWorker method*), 8

### W

wcraas\_control (*module*), 8